620
61

Public reporting burden for this maintaining the data needed, a	collection of information is esting	nated to average 1 hour per response collection of information. Send	onse, including the time for review	wing instructions, search	ning existing data sources, gathering and aspect of this collection of information,
including suggestions for reduc-	ing this burden to Department of	of Defense, Washington Headquar	ters Services Directorate for Info	ormation Operations an	d Reports (0704-0188), 1215 Jefferson Davis ject to any penalty for failing to comply with a
collection of information if it doe	es not display a currently valid (	OMB control number. PLEASE De	O NOT RETURN YOUR FORM	TO THE ABOVE ADDR	ESS.
1. REPORT DATE (DD	, i	2. REPORT TYPE Fechnical Papers		3. D	ATES COVERED (From 7 To)
4. TITLE AND SUBTIT	LE			5a.	CONTRACT NUMBER
				5b.	GRANT NUMBER
				5c.	PROGRAM ELEMENT NUMBER
6. AUTHOR(S)				1	PROJECT NUMBER
					TASK NUMBER
				1 00	062-
				5f. \	VORK UNIT NUMBER
7. PERFORMING ORG	ANIZATION NAME(S)	AND ADDRESS(ES)			ERFORMING ORGANIZATION
Air Force Research I	Laboratory (AFMC)				
AFRL/PRS					
5 Pollux Drive	2524 7040				
Edwards AFB CA 9	3524-7048				
9. SPONSORING / MO	NITORING AGENCY N	IAME(S) AND ADDRESS	G(ES)	10.	SPONSOR/MONITOR'S
			. ,	ACI	RONYM(S)
Air Force Research I	(aboratory (AFMC)	•			
AFRL/PRS	sacoratory (1111/10)			11.	SPONSOR/MONITOR'S
5 Pollux Drive					NUMBER(S)
Edwards AFB CA 93	3524-7048				, ,
12. DISTRIBUTION / A	VAILABILITY STATEM	1ENT			****
Approved for public	release; distribution	unlimited.			
13. SUPPLEMENTARY	YNOTES		·	77.4	
14. ABSTRACT		*********			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
			ı		
15. SUBJECT TERMS	***************************************		Mark Control of the C		
16. SECURITY CLASS	SIFICATION OF:		17. LIMITATION	18. NUMBER	19a. NAME OF RESPONSIBLE
			OF ABSTRACT	OF PAGES	PERSON Leilani Richardson
a. REPORT	b. ABSTRACT	c. THIS PAGE		E .	19b. TELEPHONE NUMBER
77 1 100 3	TT 1 100 1		(A)		(include area code)
Unclassified	Unclassified	Unclassified			(661) 275-5015

REPORT DOCUMENTATION PAGE

1 itua enclused

Standard Form 298 (Rev. 8-98) Prescribed by ANSI Std. 239.18

Form Approved

OMB No. 0704-0188

MEMORANDUM FOR PR (In-House Publication)

FROM: PROI (TI) (STINFO)

06 December 1999

SUBJECT: Authorization for Release of Technical Information, Control Number: AFRL-PR-ED-TP-1999-0242 McFall, K., "Solar Technology" (BFI)

JANNAF Propulsion Meeting (Tucson, AZ, 14-16 Dec 1999)

(Statement A)



### Government Briefings for Industry 49th JANNAF Propulsion Meeting

### Air Force Research Laboratory Solar Technology **Edwards AFB,CA**

Dr. Keith McFall

**AFRL/PRRS**Tel: 661-275-5502


Fax: 661-275-5203

E-mail: keith.mcfall@ple.af.mil





#### **Outline**



**Propulsion Goals and Payoffs** 

Funding Summaries

Principal Technology Programs and Major Tasks

Major Tasks and Accomplishments

Major Tasks: FY00 and FY01

Summary & Conclusion




## Solar Thermal Propulsion Technology Concept



### **Chemical Rocket**


High Thrust, Low Trip Time High Propellant Mass Flow Rate High Molecular Weight Propellant



Low Exhaust Velocity

### Solar Thermal Rocket

Low Thrust, High Trip Time Low Propellant Mass Flow Rate Low Molecular Weight Propellant




High Exhaust Velocity






## Solar Propulsion Projected System Trends





The next ten years of SOTV development could double the progress made in the last forty years of chemical rocket development






# Propulsion Goals (IHPRPT Phase I)



## **IHPRPT Phase I Solar Propulsion Goal**

- Increase Isp by 10% relative to Solar Thermal Baseline
- Decrease Dry Mass fraction by 15% relative to Solar Thermal Baseline
  - Baseline payload: 57% increase over chemical
- Phase I payload: 26% increase over baseline






## Solar Propulsion IHPRPT Phase I Payoffs



## Orbit Transfer GEO Orbit Transfer

- + 97 % Payload vs LOX-H2 upper stage (Atlas IIAS example below)
- \$40M Launch cost savings through reduced launch mass with step-down or dual manifesting (or)
- \$ 100M/year increase in revenue with added payload mass (transponders)
- 1 to 3 month mission duration

### Orbit Repositioning



- 3X Faster move (or)
- 3X More moves

versus storable chemical for same propellant mass




## **Funding Summary**



	Year		
	1998	1999	2000
n - house Research	489	519	1161
OM Dollars (\$K)			

**2001** 2178



### Funding supports:

- In-house research and development: 2 researchers, 1 test engineer, 1 mechanic
- Test facility: 25 kW thermal input to test article
- heliostat
- concentrator
- vacuum system
- Program management: IHPRPT Phase I demonstrator, DUS&T, SBIR



### Principal Technology Program and Major Tasks



# In - House Research Program Solar Thermal Component Evaluation

### **Program Objectives**

- Quantify solar propulsion system payoffs: payload, mission duration, environmental radiation exposure
  - Identify high payoff technology investment opportunities
- Validate achievement of Phase I IHPRPT ISP goal (792 sec)

#### **Major Tasks**

- Mission Analysis
- **IHPRPT Solar Thruster Performance Testing**
- IHPRPT Solar Concentrator Performance Test Support

#### Performance Test Support Concentrator **Analysis** Mission Solar Thermal Component **Evaluation** Performance Testing Thruster





Major Task	FY98	<u>FY99</u>
Mission Analysis	Utilized existing models	Defined modeling priorities for Solar Thermal Propulsion
•		1) Update existing models
		2) Solar Thermal / Solar Electric hybrid orbit transfer
Thruster Performance Testing	SRS Moly Thruster Test at AFRL	Defined pumping system requirements for accurate thrust measurements
	SRS Coupon Sample Tests at AFRL	
Concentrator Performance Testing	Transmission measurement of inflatable concentrator at SRS	Transmission and slope error measurement of inflatable concentrator at SRS
	Rigidization of inflatable concentrator at AFRL	Multiple deployments of inflatable concentrator at Thiokol
		Intensity and total power measurements at NASA MSFC




# AFRL Characterization MSFC Solar Facility






## AFRL support for SRS report to NASA

- Dr. Mike Holmes of AFRL provided test support, data collection, and data analysis.
- Flux intensity data collection and analysis
- AFRL digital CCD camera and data collection and analysis
- Measurement of nominal solar flux for calibration
- Heliostat performance measurement
  - Focal plane flux measurement



AFRL CCD Camera





NASA MSFC Solar Facility



# AFRL Characterization MSFC Solar Facility



The 50% power data is most representative

Cumulative power

Multiply peak power by 2 to estimate the

total power for a typical 780MMS day.

1135 672W/hn2 30/144 window

7000

339 781W/Mn2 72/144

1133 705W/m2 30/1144 window 1134 705W/m2 30/1144 window


8-12 1509 703W/m2 30/144

8000

of the performance of the concentrator

## **AFRL Measurement and Analysis**

- Methodology will be used for IHPRPT Demonstrator testing
- Characterized focal plane power as a function of radius
- Estimated peak power is ~ 9 kW
- Estimated peak flux intensity on the flux plate is ~290 W/cm^2



Excerpt from SRS Report to NASA MSFC MSFC Solar Thermal Facility:
Solar Power Checkout
PO# H31512D, 7/21/99 - 8/25/99,
Final Report



# Major Tasks: FY00 and FY01 Mission Analysis




- 1) Enhance existing AFRL Solar Thermal Analysis Capability: Oct 99 July 00
- Augment existing models to support 7-180 day missions
- currently limited to 14-60 days due to numerical method
- Include power system integration, hydrogen propellant management, environmental radiation exposure
- 2) Examine Solar Thermal and Solar Electric hybrid propulsion for LEO-GEO orbit transfer missions: Oct 99 - Oct 00
- Determine payload capability and environmental radiation exposure
- 3) Identify high payoff future technology investments: Aug 00 Oct 01
- Utilize mission analysis
- Perform sensitivity analysis of payoffs versus technology improvements
- Recommend IHPRPT Phase II program objectives



### Major Tasks: FY00 and FY01 Thruster Performance Testing



- ) Establish accurate thrust measurement capability in AFRL Solar Laboratory: Oct 99 - Mar 00
- replace nitrogen injector (60 torr pressure) with 10K CFM blower
  - enable 1 torr test cell pressure with 1 g/s H2 flow rate
- support high accuracy (~1% uncertainty) thrust measurement




2) Validate achievement of Phase I IHPRPT ISP goal (792 sec):

April 00 - Aug 00

• Measure thrust and mass flow rate to infer specific impulse

3) Provide test support for commercial and military customers








### Concentrator Performance Test Support Major Tasks: FY00 and FY01




# Characterize IHPRPT Phase I Concentrator (4 m x 6 m size)

- SRS Designed Concentrator, NASA MSFC machined mandrel
- Utilize proven AFRL developed modeling tools to predict intensity
- Transmission, reflection, scattering, slope error, and polarization included
  - Previously used for 2m x 3m concentrator: ~ 5% uncertainty
    - Perform flux measurements: AFRL NIST traceable equipment
- Concentrator shape measurement analysis to determine transmission and surface accuracy
  - Use AFRL models to evaluate contractor measurements
- Use SRS Photogrametry data: 1 mm uncertainty
- Use SRS Laser slope error measurements: 1 mrad uncert.
- Use SRS Photo-ray trace data from a known distorted target
- appropriate for 3-4 mrad accuracy



will be fabricated using a metal Concentrator mandrel

**AFRL** supports evaluation



mandrel mockup **SRS** designed machining of NASA MSFC



# Summary & Conclusion



#### Summary

- Solar Thermal Propulsion enables a doubling of payload to GEO
- Upgraded AFRL Solar Facility will provide accurate thrust measurements
- IHPRPT Demonstrator capability and identify high payoff topics for follow-on efforts AFRL In-house research effort provides testing and analysis needed to confirm

#### Conclusion

The AFRL in-house research program is focused on making the deployment of Solar Thermal Propulsion a reality

